



TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name	CORONATE 2715
General description	Polyisocyanate solution
Company Identification	
Company name	TOSOH CORPORATION
Department	Functional Urethanes Dept. / Urethane Division
Address	3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
Telephone (Emergency telephone)	+81-3-5427-5393 / +81-3-5427-5379
	(Monday ~ Friday, Japan standard time 9:00 a.m. ~ 6:00 p.m.)

2. HAZARDS IDENTIFICATION

GHS classification of the substance or mixture

Physical Hazards

- | | |
|---------------------|-------------------|
| • Flammable liquids | Category 3 |
| • Flammable solids | Not applicable |

Health Hazards

- | | |
|---|--|
| • Acute toxicity (oral) | Not classified |
| • Acute toxicity (skin) | Not classified |
| • Acute toxicity (inhalation: gas) | Not applicable |
| • Acute toxicity (inhalation: vapour) | Category 4 |
| • Acute toxicity (inhalation: dust, mist) | Category 4 |
| • Skin corrosion/irritation | Category 2 |
| • Serious eye damages/eye irritation | Category 2 |
| • Respiratory sensitization | Classification not possible |
| • Skin sensitization | Classification not possible |
| • Germ cell mutagenicity | Classification not possible |
| • Carcinogenicity | Classification not possible |
| • Reproductive toxicity | Classification not possible |
| • Specific target organ toxicity; single exposure | Category 2 (Central nervous system) |
| • Specific target organ toxicity; repeated exposure | Classification not possible |
| • Aspiration hazard | Not classified |

Environmental Hazards



TOSOH

TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan

Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

- | | |
|------------------------------|-----------------------------|
| • Aquatic toxicity (acute) | Classification not possible |
| • Aquatic toxicity (chronic) | Classification not possible |

Section is not listed, it can not be excluded from 'Not applicable' or 'Classification not possible'

GHS label elements including precautionary statements
Symbol :

Signal word : Warning

Hazard statement :

- Flammable liquid and vapour
- Harmful if inhaled
- Causes skin irritation
- Causes serious eye irritation
- May cause damage to Central nervous system

Precautionary Statements
Prevention

- Obtain special instructions before use.
 - Do not handle until all precautions have been read and understood.
 - Keep container tightly closed.
(There is a danger of explosion if the carbon dioxide generated when water enters.)
 - Do not handle in people who cause allergic reactions.
 - Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 - Ground/bond container and receiving equipment.
 - Use only non-sparking tools.
 - Use explosion-proof electrical/ventilating/lighting/equipment.
 - Take precautionary measures against static discharge.
 - Use only outdoors or in a well-ventilated area.
-



TOSOH

TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan

Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

- Do not eat, drink or smoke when using this product.
- Do not breathe dust/fume/gas/mist/vapour/spray.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash hands thoroughly after handling.

Response

- In case of fire: Use dry chemical powder, carbon dioxide, foam, large volume of water spray.
- If swallowed: Rinse mouth with water. Do not induce vomiting. To contact a doctor immediately.
- If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. To contact a doctor immediately.
- If on eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. To contact a doctor immediately.
- If on skin (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. To contact a doctor immediately.
- If on skin: Wash with plenty of soap and water.
- If exposed or concerned, or if you feel unwell: Get medical advice/attention.
- Wash hands thoroughly after handling.
- Wash contaminated clothing before re-using.
- When leaking out, collect as much as possible to the container and so on. After that, spray and neutralize with an ammonia water, alcohol and so on, and then absorb it with sands.

Storage

- Store container in cool place/ well-ventilated place.

Disposal

- Dispose of contents/container to waste in accordance with local / regional / national / international regulations (to be specified).

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Chemical name

Polyisocyanate solution



TOSOH

TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715**【Components and Contents】**

Chemical name	Contents	CAS No.
Butyl acetate	10 %	123-86-4
Modified polyisocyanate	90 %	Trade secret

【HAZARDOUS INGREDIENT(s)】

Chemical name	Contents	CAS No.
Butyl acetate	10 %	123-86-4
Hexamethylene diisocyanate (HDI)	< 1 %	822-06-0

4. FIRST AID MEASURES**If inhaled**

Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Get medical advice/attention immediately.

If on skin

Remove / Take off immediately contaminated clothing and shoes etc. Rinse the part that touches the product, by washing with water or lukewarm water flow. Wash with soap and water.
Seek medical advice or attention, if there are change in the appearance or pain persists.

If on eyes

Even if very small contact, rinse with clean water for at least 15 minutes, and seek ophthalmologist's advice/attention. During the eyewash, open the eyelid well with your fingers, then wash well the eyeball and the eyelid with water.

If swallowed

Rinse mouth well. Spit it in person voluntarily if possible, to vomit.
Seek medical advice/attention immediately.

5. FIRE FIGHTING MEASURES**Suitable extinguishing media :**

Dry chemical powder, carbon dioxide, foam, large volume of water spray.

Unsuitable extinguishing media :

Water jet

Specific hazards during fire :

There is a risk of generating a hazard gas in a fire.

Specific extinction method :

Wear self-contained breathing apparatus and protective gloves, because cracked gas and steam



TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
 Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

are generated in the case of fire. Water is drained off to the drum, container etc. that have not ignited, and it tries to prevent fire spreading, overheating, and explosion of containers. After the fire is extinguished, neutralize the spilled material with decontaminant. Do not let outsiders enter the place fire.

Special protective for fire-fighters :

In the extinction work, wear self-contained breathing apparatus and protective gloves, because cracked gas and steam are generated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions :

Immediately remove all sources of ignition and flammable material. In case of fire, use powder or foam as extinguishing media. Wear safety glasses, rubber gloves, a gas mask for organic gas. Restrict entry of unauthorized personnel. To work from the windward. Evacuate people downwind. Better ventilation of the place spilled. Temporary leak repair parts, stop the leak.

Environmental precautions :

Do not flow spillage directly into rivers or sewage. Adhered and collected waste material should be promptly disposed of, in accordance with appropriate laws and regulations.

Methods and materials for containment and cleaning up :

(Small spill)

Sprayed with a neutralizing agent to neutralize. Remove adsorbed sand, earth, sawdust, etc. If wiping rags, waste paper, etc., remove and store in a container with a lid.

(Large spill)

As spilled liquid can not spread, enclosed sand, earth, sawdust, etc. Recovered in the liquid container as much as possible. Collection container must not be sealed. Which could not be recovered sprayed with a neutralizing agent to neutralize or Removed by the above method. Wash the spillage area clean with water.

Measures to prevent secondary disasters :

Promptly except near sources of ignition and prepare a fire extinguishing agent.
 Using a safety tool that does not generate a spark.

7. HANDLING AND STORAGE

Handling

The operator should be trained in handling this product.

Technical measure

Wear appropriate protective goggles, rubber gloves, a gas mask for organic gas.
 Thoroughly ventilate the workplace, workers wear protective.

**TOSOH CORPORATION**

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
 Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715**Notes**

Those who show allergenic and sensitizing effects should not be in charge.

Safety treatment notes

If a higher pressure in the container, remove the lid and remove the pressure slightly loosen the lid. Do not the filling of container this products to the unwashed containers and attached water containers. Take precautionary measures against static discharge. Working space is a non smoking. Forbid to use the open flame heating element, high-temperature heating elements.

Storage**Appropriate safekeeping condition**

Store in indoors well-ventilated. Keep container tightly closed. Once a container is opened, the container should be sealed with dry nitrogen or dry air (dew point < -30°C) and be closed tightly. If stored outdoors, the container should be covered with waterproof canvas sheet to avoid being exposed in the rain. The use of fire is strictly prohibited in the storage area.

Packaging materials

Excellent corrosion resistance in a suitable material, use containers with airtight packaging. Containers which are prescribed in Fire and Disaster Management Act and UN transport regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Facility and equipment measures**

Facilities in where this material is handled should be structured with the perfectly closed system. Make available emergency safety shower and eye wash in the work area.

Control limit

Butyl acetate : 150 ppm

Occupational exposure limits

Butyl acetate	:	150 ppm	ACGIH (TLV-TWA) 2007
	:	200 ppm	ACGIH (TLV- STEL)2007
	:	100 ppm	JSOH (TLV-TWA) 2007
Hexamethylene diisocyanate (HDI)	:	0.005 ppm	ACGIH (TLV-TWA) 2007
	:	0.005 ppm	DFG MAK (TLV-TWA)2007
	:	0.005 ppm	JSOH (TLV-TWA) 2007

*JSOH: Japan Society of Occupational Health



TOSOH

TOSOH CORPORATION

 3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
 Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715
Personal protective equipment

Respiratory protection	Respirator for organic gases
Hand protection	Safety gloves made from rubbers or plastics (impermeable)
Eye protection	Safety glasses with side version or protection goggles
Skin and body protection	Long sleeve protective work clothes and protective work shoes

Hygiene measures

Contaminated protective clothing, protective equipment should be replaced as soon as possible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Color	Pale yellow
Odor	Aromatic odor
PH	—
Boiling point	—
Freezing point	—
Flash point	46 °C determined by closed cup flash test. (Sealed Seta)
Explosion limit	—
Vapour pressure	—
Vapour density	—
Specific gravity	1.12×10^3 (kg/m ³) at 25°C
Solubility (water)	Insoluble
Solubility (other)	Soluble in toluene, ethyl acetate or acetone
Octanol /water partition coefficient	
	For Butyl acetate : log Pow 1.82 (octanol/water partition coefficient)
Viscosity	470 mPa·s at 25°C

10. STABILITY AND REACTIVITY

Stability	Flammability	some
	Ignition quality	na
	Oxidizing	na
	Self-reactive, Explosiveness	na
	Explosive dust	na
	Other	na

Reactivity
 Exothermic react with water forming CO₂. Exothermic react with active-hydrogen compound



TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

(alcohols, amine and so on). The polymerization reaction with an alkaline substance, a tertiary amine and so on.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

For Butyl acetate

Oral (rat) : Not classified : LD50 = 14.13g/kg (ACGIH, 2001)
Skin (rabbit) : Not classified : LD50 = 17,600mg/kg (RTECS, 2004)
Inhalation (gas) : Not applicable : Liquid (GHS definition)
Inhalation (vapour) (rat) : Category 3 : LC50 = 2,000ppm (ACGIH, 2001)
Classification by the reference value of gas (90% or less of the saturated vapour pressure concentration)
Inhalation (dust, mist) (rat) : Category 4 : LC50 = 391ppm (1.85mg/L) (ACGIH, 2001)

For Hexamethylene diisocyanate (HDI)

Oral (rat) : Category 4 : LD50 = 747mg/kg (calculated value)
based on CERH Hazard data 2000-50, 2001 (738, 960) and SIDS, 2004 (746, 959)
Skin (rabbit) : Category 3 : LD50 = 593mg/kg (adopt low value)
based on CERH Hazard data 2000-50, 2001 (593), and SIDS, 2004 (599)
Inhalation (gas) : Not applicable : Liquid (GHS definition)
Inhalation (vapour) (rat) : Category 1 [Vapour = mist is not mixed almost]
: LC50 = 20ppm/4hr (calculated value)
based on ATSDR, 1998 (0.31mg/L), Ministry of the Environment Risk Assessment Vol.2, 2003 (0.06mg/L) and SIDS, 2004 (0.124 mg/L, 0.31 mg/L, 0.15mg/L)
: 'Vapour that dose not contain most of the mist.' (90% or less of the saturated vapour pressure concentration : 70ppm (CERH hazard data 2000-50 (2001)) At the saturated vapour pressure 0.007kPa at 25°C)

Skin corrosion /irritation

For Butyl acetate

(man) MILD SKIN IRRITATION (ACGIH, 2001) : Category 3

For Hexamethylene diisocyanate (HDI)

(rabbit) Substance is corrosive to the skin. (SIDS, 2004) : Category 1A - 1C

Serious eye damage/ eye irritation

For Butyl acetate

Opacity of the cornea recovered on the second day. Redness of the conjunctiva recovered day7and day14. (ECETOC report) : Category 2B

For Hexamethylene diisocyanate (HDI)

(rabbit) Substance is corrosive to the eyes. (SIDS, 2004) : Category 1



TOSOH

TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

(Test results compliant with OECD Test Guideline 405)

Respiratory/skin sensitization

For Butyl acetate

respiratory sensitization) : Classification not possible

There are no respiratory sensitization data.

skin sensitization : Not classified

Skin sensitization does not demonstrated.

(Ministry of the Environment Risk Assessment Vol.3 (2004))

For Hexamethylene diisocyanate (HDI)

respiratory sensitization : Category 1 [There is a respiratory sensitization.]

(man) Induce allergic asthma, hypersensitivity pneumonitis, contact hypersensitivity.

CERI Hazard data 2000-50 (2001), Ministry of the Environment Risk Assessment Vol.2 (2003), AGCIH (7TH, 2001)

skin sensitization : Category 1 [There is a skin sensitization.]

(guinea pig) Skin sensitization test results were positive. (SIDS, 2004)

‘There is a skin sensitization.’ : Japanese Society of Occupational and Environmental Allergy / Special committee

Germ cell mutagenicity

For Butyl acetate

There was not enough information. (IN VIVO) : Classification not possible
(IN VITRO TEST = NEGATIVE)

For Hexamethylene diisocyanate (HDI) : Not classified

No data heritable mutagenicity test. No data Germ cell IN VIVO mutagenicity test.

Somatic cell IN VIVO mutagenicity tests (micronucleus test) is negative. (SIDS, 2004)

Carcinogenicity

For Butyl acetate

There was no information. (IARC, ACGHI) : Classification not possible

For Hexamethylene diisocyanate (HDI)

There was no existing classification and no information. : Classification not possible

Reproductive toxicity

For Butyl acetate

There was no significant difference compared with the control group. : Not classified

Ministry of the Environment Risk Assessment Vol.3 (2004), ACGIH (2001)

For Hexamethylene diisocyanate (HDI)

There was no impact on the occurrence of the next generation of parent animals and breeding performance. (SIDS, 2004)

Specific target organ toxicity-single exposure

For Butyl acetate



TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

Category 1 (Central nervous system) : (man) : (ACGIH, 2001)

Category 2 (Lung) : (animal) : Pulmonary edema was seen by animal studies.

Category 3 (Respiratory tract irritation) : Irritation of the respiratory.

For Hexamethylene diisocyanate (HDI)

Category 1 (Respiratory system)

(rat) Inhalation exposure, pulmonary edema and pneumonia were seen. (ATSDR, 1998)

(Experimental animal) There are effects in guidance value range of Category 1.

Specific target organ toxicity-repeated exposure

For Butyl acetate

There was not enough information. : Classification not possible

For Hexamethylene diisocyanate (HDI)

Category 1 (Respiratory system) : CERI Hazard data 2000-50 (2001)

(man) Irritation of the eyes, nose and throat, and discomfort of cough and chest.

(rat) There are inflammation of the windpipe and there are necrosis of the epithelium of the nasal turbinates, and squamous metaplasia of the nasal turbinates. In the lung, there are epithelial formation and interstitial pneumonia. In the nasal cavity, there are degeneration of the olfactory epithelium, and hyperkeratosis and ulceration or erosion.

(Experimental animal) There are effects in guidance value range of Category 1.

Aspiration hazard

For Butyl acetate

There was no data for chemical pneumonia. : Classification not possible

Kinematic viscosity (20°C) = 0.838mm²/sec (calculated value)

For Hexamethylene diisocyanate (HDI) : No available

12.ECOLOGICAL INFORMATION

Aquatic Toxicity

For Butyl acetate

(Acute) Fish (Bluegill) LC50 = 100,000 μg/L/96hr : Category 3

(Ministry of the Environment Risk Assessment Vol.1 (2002))

(Chronic) Rapid degradation (Degree of decomposition by BOD = 98% (IUCLID, 2000))

Can be estimated 'Bioaccumulation is low.' : Not classified

(LOG KOW = 1.78 (PHYSPROP DATABASE, 2005))

For Hexamethylene diisocyanate (HDI)

(Acute) Crustacean (Daphnia magna) EC50 ≥ 89.1mg/L/48hr (SIDS, 2004) : Not classified

(Chronic) Not poor water solubility, Acute toxicity is low : Not classified

(Aqueous solubility = 117mg/L (PHYSPROP DATABASE, 2005))



TOSOH CORPORATION

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
 Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715

13.DISPOSAL CONSIDERATIONS

The remainder waste (Disposal of this product)

Dispose of contents/container to waste treatment company having the official approval of laws and regulation. Incinerated in appropriate facilities.

Pollution container and packing

Empty container filled with water and allowed to stand for 2 days (Should not be sealed), then, disconnect the water. Used container should be punctured and scrapped, so that it is not used for any other purpose.

14.TRANSPORT INFORMATION

International Regulations

Land : Transport in accordance with your country and regions regulations.
 (RID, ADR, DOT etc.)

Sea : Transport in accordance with IMDG Code.

Air : Transport in accordance with ICAO-TI/ IATA-DGR.

UN number: 1866
Proper shipping name: Resin solution, flammable (Polyisocyanate solution)
Hazard class: 3 Flammable liquid
Packing group: III

Marine Pollutant : Not applicable

IMDG class: 3 Flammable liquid

Follow all the regulations in your country. Be sure that the container is tightly sealed, that no leakage is found and that all the necessary indications are specified. Filling, loading and extracting operations should be performed under the supervision of an authorized operator. Nitrogen gas or dry air should be charged into the container for transportation after filling or extracting.

Ship hazardous materials transportation and storage regulations based on the Ship Safety Act: It corresponds to "poison" hazardous materials, if you want to maritime transport, and transport you necessity to take measures in accordance with the law Ship Safety.

15.REGULATORY INFORMATION

Regulatory information with regard to this substance in your country should be examined by your own responsibility.

**TOSOH CORPORATION**

3-8-2, Shiba, Minato-ku, Tokyo 105-8623, Japan
Phone: +81-3-5427-6343 Fax: +81-3-5427-5379

Date of printing:	April 20, 2015
Version:	No. T1
Date of revision:	April 20, 2015
Date of issue:	August 27, 2014

Product name: CORONATE 2715**16. OTHER INFORMATION**

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority, products are supposed to be used promptly after purchase in consideration of safety.

Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage.

The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe conditions of use shall be set up on each user's own responsibility.